# IDAHO WHEAT VARIETIES

Released: July 13, 2001



1-800-691-9987 FAX: (208) 334-1114 www.nass.usda.gov/id

#### 2001 IDAHO WHEAT VARIETIES


Madsen, a soft white winter variety, is Idaho's most popular wheat variety for 2001. This is the first winter wheat to hold the top position since Stephens in 1993. Statewide, 13.8 percent of all wheat acreage is seeded to Madsen. Westbred 936 accounted for 12.7 percent of all wheat seedings, but fell to second, due mostly to a sharp drop in overall spring wheat acreage. Other top five varieties are: Penawawa, third with 9.2 percent; Stephens, fourth with 8.4 percent; and Brundage, fifth with 4.8 percent.


Varieties increasing in rank are: Madsen, from 2nd to 1st; Westbred 926, from 7th to 6th; and Daws, from 12th to 9th. Varieties not ranked last year include: Brundage, 5th; Alpowa, 11th; Westbred 470, 13th; Jefferson, 14th; Bonneville, 16th; and Boundary, 19th. Varieties decreasing in rank are: Westbred 936, from 1st to 2nd; Weston, from 5th to 8th; Malcolm, from 6th to 7th; Garland, from 8th to 17th; Lambert, from 11th to 12th; Klasic, from 13th to 18th; and Promontory, from 19th to 20th. Promar Select

(ID377S), dropped out of the top twenty after being 9th last year. Treasure, a soft white spring variety, dropped out of the state's top twenty, but is the fifth most popular variety in District 70. Growers planted 3,700 acres of Treasure in District 70 and 15,600 acres statewide. Other varieties that dropped out of the top twenty are Hyak, Manning, Wawawai, and Westbred 906R.

By class, soft white winter wheat accounted for 43.8 percent with 560,000 acres planted. Soft white spring wheat accounted for 15.9 percent with 203,000 acres planted. Hard red spring wheat accounted for 22.3 percent with 285,000 acres seeded. Hard red winter wheat accounted for 13.1 percent with 168,000 acres seeded. Hard white spring wheat decreased to 2.5 percent with 32,000 acres planted. Hard white winter wheat accounted for 0.2 percent with 3,000 acres planted. Club wheat totaled 29,000 acres, 2.3 percent of Idaho's planted acreage.

### LEADING WHEAT VARIETIES PLANTED





## **2001 IDAHO WHEAT VARIETIES**

ACRES OF WHEAT PLANTED TO VARIOUS VARIETIES 1/

	ACRES OF WHEAT PLANTED TO VARIOUS VARIETIES 1/ 2001								
VARIETY	CLASS	DISTRICT 10	DISTRICT 70	DISTRICT 90	STATE				
			'		1				
Madsen	SWW	173,300			1,700	176,000			
Westbred 936	HRS	6,700	2,000	17,300	137,000	163,000			
Penawawa	SWS	5,500	4,900	33,800	73,800	118,000			
Stephens	SWW	20,200	46,800	22,800	17,200	107,000			
Brundage	SWW	2,600	4,700	10,200	43,500	61,000			
Westbred 926	HRS	36,600			3,900	43,000			
Malcolm	SWW	1,000	1,400	24,000	9,100	35,500			
Weston	HRW			7,700	26,300	34,000			
Daws	SWW	4,300		1,200	25,700	31,200			
Cashup	SWW	31,000				31,000			
Alpowa	SWS	6,300	7,500	11,200	2,000	27,000			
Lambert	SWW	20,600			5,500	26,500			
Westbred 470	SWW			13,200	11,400	26,000			
Jefferson	HRS	1,500			21,100	23,000			
Utah 100	HRW				23,000	23,000			
Bonneville	HRW				21,500	21,500			
Garland	HRW			12,200	8,200	20,400			
Klasic	HWS				19,000	19,300			
Boundary	HRW	4,300		4,500	7,700	16,500			
Promontory	HRW			8,100	7,600	15,900			
Other 2/	_	119,900	7,300	34,200	99,800	261,200			
ALL WHEAT	_	435,000	77,000	203,000	565,000	1,280,000			
<u>CLASS</u>									
Hard Red Winter	HRW	20,000	200	37,800	110,000	168,000			
Hard Red Spring	HRS	56,000	4,700	28,300	196,000	285,000			
Soft White Winter	SWW	291,000	54,800	77,200	137,000	560,000			
Soft White Spring	SWS	34,500	17,000	56,500	95,000	203,000			
Club	CLUB	29,000				29,000			
Hard White Winter	HWW				3,000	3,000			
Hard White Spring	HWS	4,500	300	3,200	24,000	32,000			
ALL WHEAT	_	435,000	77,000	203,000	565,000	1,280,000			

<sup>1/</sup> Some district acreages omitted in order to prevent disclosure of individual operations. 2/ Includes varieties not listed above and unknown varieties.

## **2001 IDAHO WHEAT VARIETIES**

PERCENTAGE OF WHEAT PLANTED TO VARIOUS VARIETIES 1/

VARIETY	CLASS	2001					<u> </u>	
		DISTRICT 10	DISTRICT 70	DISTRICT 80	DISTRICT 90	STATE	2000	1999
Madsen	SWW	39.8			0.3	13.8	12.6	12.4
Westbred 936	HRS	1.5	2.6	8.5	24.2	12.7	12.9	10.4
Penawawa	SWS	1.3	6.4	16.7	13.1	9.2	11.5	16.2
Stephens	SWW	4.6	60.8	11.2	3.0	8.4	10.9	11.5
Brundage	SWW	0.6	6.1	5.0	7.7	4.8	0.8	0.1
Westbred 926	HRS	8.4			0.7	3.4	3.4	2.7
Malcolm	SWW	0.2	1.8	11.8	1.6	2.8	4.2	4.9
Weston	HRW			3.8	4.7	2.7	4.6	4.5
Daws	SWW	1.0		0.6	4.5	2.4	2.0	3.3
Cashup	SWW	7.1				2.4	2.1	1.4
Alpowa	SWS	1.4	9.7	5.5	0.4	2.1	0.9	0.6
Lambert	SWW	4.7			1.0	2.1	2.1	1.7
Westbred 470	SWW			6.5	2.0	2.0	0.8	0.7
Jefferson	HRS	0.3			3.7	1.8	0.5	0.3
Utah 100	HRW				4.1	1.8	1.3	0.3
Bonneville	HRW				3.8	1.7	0.6	1.7
Garland	HRW			6.0	1.5	1.6	2.7	1.6
Klasic	HWS				3.4	1.5	2.0	0.1
Boundary	HRW	1.0		2.2	1.4	1.3	0.8	0.2
Promontory	HRW			4.0	1.3	1.2	1.1	1.2
Other 2/	_	27.6	9.5	16.8	17.7	20.4	22.2	24.2
ALL WHEAT	_	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<u>CLASS</u>								
Hard Red Winter	HRW	4.6	0.3	18.6	19.5	13.1	13.8	11.6
Hard Red Spring	HRS	12.9	6.1	13.9	34.7	22.3	22.1	21.3
Soft White Winter	SWW	66.9	71.2	38.0	24.2	43.8	39.9	41.2
Soft White Spring	SWS	7.9	22.1	27.8	16.8	15.9	16.6	22.4
Club	CLUB	6.7				2.3	2.6	0.7
Hard White Winter	HWW				0.5	0.2	0.7	
Hard White Spring	HWS	1.0	0.4	1.6	4.2	2.5	4.3	2.9
ALL WHEAT		100.0	100.0	100.0	100.0	100.0	100.0	100.0

<sup>1/</sup> Percents are derived and may not multiply to acreage or add to total due to rounding. Some district percents are omitted in order to prevent disclosure of individual operations. 2/ Includes varieties not listed above and unknown varieties.

